

Chain Valley Colliery Monthly Website Report – June 2021

Site:	Chain Valley Colliery
Department:	Technical Services
Report Title:	Monthly Environmental Website Report – June 2021
Prepared by:	Lachlan McWha
Report Date:	08/07/2021
Distribution:	Delta Coal Website

Monthly Website Report

CVC Monthly Environmental Report – June 2021

Table of Contents

Introduction	3
Scope.....	4
Definitions.....	4
References	5
Monitoring Results.....	5
Water – Quality	5
Water – Volume.....	6
Water – Groundwater Discharge.....	7
Air Quality - Depositional Dust	7
Air Quality – PM ₁₀	8
Air Quality – PM _{2.5}	10
Weather Data	11

Monthly Website Report

CVC Monthly Environmental Report – June 2021

Introduction

Great Southern Energy Pty Ltd (trading as Delta Coal) operates the Chain Valley Colliery, an underground coal mine at the southern end of Lake Macquarie.

Chain Valley Colliery operates under the following regulatory instruments:

- Section 66(6) of the *Protection of the Environment Operations Act 1997*, to make monitoring data related to an Environment Protection Licence (EPL) publically available;
- Conditions 8 & 11, Schedule 6, of Development Consent SSD-5465 (as modified), issued under the *Environmental Planning and Assessment Act 1979* to provide details of monitoring results and environmental performance;
- An Environment Protection Licence (EPL 1770) issued under the *Protection of the Environment Operations Act 1997*; and
- A Water Access Licence (WAL41508), Aquifer (Sydney Basin – North Coast Groundwater Source) for 4,443 unit shares (megalitres).

The above development consent and licences require various monitoring and reporting requirements to be undertaken by Delta Coal for Chain Valley Colliery.

This report provides environmental monitoring data from Chain Valley Colliery for the month of June 2021.

Details of the Chain Valley Colliery EPL 1770 are provided below.

Chain Valley Colliery Information	
Premises name	Chain Valley Colliery
Address	Construction Road, Chain Valley Bay, NSW, 2259
Licensee	Great Southern Energy Pty Ltd
EPL #	1770
EPL location	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50980&SYSUID=1&LICID=1770

The overall purpose of this monthly report is to keep stakeholders informed of the environmental monitoring results at Chain Valley Colliery and maintain a transparent and accountable reporting system.

Scope

This report presents the results from the various environmental monitoring programs undertaken for Chain Valley Colliery. Results are presented monthly with annual data and averages.

Where applicable, the results of the monitoring programs are compared with the relevant criteria (from the EPL or Development Consent) to assess compliance. Monitoring results presented in this report include:

- Water – quality;
- Water – volume;
- Air Quality – Depositional Dust
- Air Quality – PM₁₀
- Air Quality – PM_{2.5}; and
- Meteorological data.

Definitions

g/m²/month – grams per square metre per month;

kL – kilolitre;

ML – megalitre;

mg/L – milligrams per litre;

TSS – total suspended solids;

µg/L – micrograms per litre; and

µS/cm – microSiemens per centimetre.

Monthly Website Report

CVC Monthly Environmental Report – June 2021

References

ALS Group - Monthly Water Monitoring Results **June 2021**

ALS Group - Dust Deposition Report **June 2021**

Development Consent SSD-5465 (as modified)

Environment Protection Licence (EPL) 1770 (Licence version date: 2 April 2019)

Monitoring Results

Water – Quality

Water quality results for June 2021 monthly surface water sampling at Chain Valley Colliery, EPA Discharge Point 1 (LDP1) are presented below.

June 2021			
EPL	1770		
Licensee	Great Southern Energy Pty Ltd		
Premises	Chain Valley Colliery		
Date Sampled	22-06-2021		
Date Obtained	28-06-2021		
Sampling Point	LDP1		
Parameter	Units	Limit	Result
Biochem. Oxygen Demand	mg/L	-	<2
Enterococci	col/100mL	-	63
Faecal Coliforms	CFU/100mL	200	20
pH	pH	6.5-8.5	7.65
Total Sus. Solids	mg/L	50	10
Electrical Conductivity	µS/cm	-	29200

Monthly Website Report

CVC Monthly Environmental Report – June 2021

Water – Volume

Monthly water volumes discharged from the site are summarised below.

The daily water volumes at EPA Discharge Point 1 (LDP1) during June 2021 did not exceed the EPL 1770 discharge limit.

EPL	1770
Licensee	Great Southern Energy Pty Ltd
Premises	Chain Valley Colliery
Date Sampled	Daily
Date Reported	Refer report date
Discharge volume limit	12161 kilolitres per day
Sampling Point	1

Date (24 hour period)	Unit	LDP 1 Volume
01/06/2021	kL	3648.65
02/06/2021	kL	5786.21
03/06/2021	kL	5385.64
04/06/2021	kL	5981.31
05/06/2021	kL	5998.7
06/06/2021	kL	5966.66
07/06/2021	kL	5787.59
08/06/2021	kL	3896.8
09/06/2021	kL	6325.7
10/06/2021	kL	3901.47
11/06/2021	kL	3578.02
12/06/2021	kL	5057.33
13/06/2021	kL	5896.32
14/06/2021	kL	3179.41
15/06/2021	kL	4409.24
16/06/2021	kL	3156.59
17/06/2021	kL	5241.52
18/06/2021	kL	6647.11
19/06/2021	kL	6765.97
20/06/2021	kL	6134.04
21/06/2021	kL	6024.52
22/06/2021	kL	6872.01
23/06/2021	kL	4051.85
24/06/2021	kL	6893.89
25/06/2021	kL	5972.59
26/06/2021	kL	5838.62
27/06/2021	kL	5833.92
28/06/2021	kL	5832.2
29/06/2021	kL	2740.69
30/06/2021	kL	3971.45

Average	kL	5226
Minimum	kL	2741
Maximum	kL	6894

Monthly Website Report

CVC Monthly Environmental Report – June 2021

Water – Groundwater Discharge

Groundwater discharged from underground workings to the CVC sedimentation ponds within the surface operational area has been detailed below. Chain Valley Colliery operates Water Access License (WAL 41508) permitting the extraction of 4,443 megalitres per water year (financial year calander) with a roll-over entitlement up to a maximum of 8,886 megalitres.

CVC Groundwater to Surface Totals FY2020-2021		
Date (month)	GW Discharge (ML/Month)	GW Discharge (Cumulative ML YTD)
Jul-20	169.2	169.2
Aug-20	170.2	339.4
Sep-20	145.7	485.2
Oct-20	161.8	647.0
Nov-20	180.8	827.8
Dec-20	220.0	1047.8
Jan-21	192.5	1240.3
Feb-21	187.5	1427.9
Mar-21	157.5	1585.3
Apr-21	190.6	1775.9
May-21	199.0	1,974.9
Jun-21	156.6	2,131.5

Air Quality - Depositional Dust


Monthly depositional dust results are shown below. Dust deposition gauges were sampled and analysed in accordance with the project approval, CVC Air Quality Management Plan and relevant Australian Standards.

June 2021	
EPL	1770
Limit	4g/m ² /month / Annum
Sampling Date	13/05/2021 to 11/06/2021
Site	Insoluble Matter (g/m ² /month)
DDG001	0.3
DDG002	5.0
DDG003	0.3
DDG004	0.5
DDG005	3.6
DDG006 (proposed DDG005 Replacement)	0.1
Notes:	
- For site locations refer to Chain Valley Colliery Air Quality Management Plan.	
- DDG002 contamination identified the following gauge contents: Dirt (35%), polysaccharide slime (30%), vegetation (20%), insects (10%) and some coal (5%) for period of 13 May 2021 – 11 June 2021	

Monthly Website Report

CVC Monthly Environmental Report – June 2021

A 12 month rolling average of depositional dust concentrations has been presented below. Dust Guages DDG001, DDG002, DDG003 and DDG004 are located within a closer proximity to Chain Valley Colliery. DDG005 was intended to represent the fan site however has been frequently contaminated by factors outside of mine operations (bird droppings, insects, land maintenance activities and vegetation), subsequently, DDG006 was installed in a location more representative of the CVC vent fan site. Delta Coal currently have a submission with DPIE to amend the Chain Valley Colliery Air Quality Management Plan to replace location DDG005 with DDG006.




Air Quality – PM₁₀

The 24hr PM₁₀ average from Delta Coal's Tapered Element Oscillating Microbalance (TEOM) is presented below for the year to date.

Monthly Website Report

CVC Monthly Environmental Report – June 2021



Annual 24hr PM₁₀ average maximum criteria for May 2021 was below the annual average maximum criteria limit. A summary of data availability for Delta Coal's TEOM is presented below for the year to date.


Variable	June	Total	Valid
A/C Temp	100%	8640	8640
A1	100%	8640	8640
A1_Scaled	100%	8640	8640
Bypass Flow	100%	8640	8640
Cap Temp	100%	8640	8640
Case Temp	100%	8640	8640
Config	100%	8640	8640
Dew Point	100%	8640	8640
Dig-In	100%	8640	8640
Dig-Latch	100%	8640	8640
ESN	100%	8640	8640
Filter Freq	100%	8640	8640
Filter Load	100%	8640	8640
Humidity	100%	8640	8640
MC	100%	8640	8640
MC 12Hr	100%	8640	8640
MC 1Hr	100%	8640	8640
MC 24Hr	100%	8640	8640
MC 30min	100%	8640	8640
MC 8Hr	100%	8640	8640
MC Total	100%	8640	8640
Mobile Signal	100%	8640	8640
Noise	100%	8640	8640
PM10 Flow	100%	8640	8640
Pressure	100%	8640	8640
Site	0.0%	8640	0
Temperature	100%	8640	8640
Tube Temp	100%	8640	8640
Vac Pressure	100%	8640	8640
Volts	100%	8640	8640

Monthly Website Report

CVC Monthly Environmental Report – June 2021

Air Quality – PM_{2.5}

Delta Coal utilises PM_{2.5} data obtained from Vales Point Power Station owned and operated beta attenuation monitor (BAM). The PM_{2.5} monitor is located on Tingley Road, Wyee. Delta Coal is required to monitor PM_{2.5} concentration following the approval of Development Consent SSD-5465 Modification 3 and Project Approval MP06_0311 Modification 5 on the 26th June 2020.



For the period of May 2021, the daily PM_{2.5} average concentration and annual average PM_{2.5} concentration did not exceed limits of 25 µg/m³ and 8 µg/m³ respectively.

PM_{2.5} data availability for:

- June 2021 data availability was 99%; and
- 2021 year to date data availability has been 98%.

Monthly Website Report

CVC Monthly Environmental Report – June 2021

Weather Data

A summary of weather data recorded by a meteorological monitoring station at the adjacent Mannering Colliery is presented below for the year to date. (EPA ID no. 26).

Monthly Weather Data 2021			
Licensee	Great Southern Energy Pty Ltd		
Location	Mannering Colliery Meteorological station		
Date published	Refer report date		
Date sampled	Daily		
Date obtained	12 th July 2021		
Month	Total Rainfall/Month (mm)	Min Temp	Max Temp
Jan-21	108.4	12.5	38.2
Feb-21	110.2	13.9	33.1
Mar-21	551.6	13.1	31.1
Apr-21	56.8	6.2	28.3
May-21	30.8	4.1	25.6
June-21	74.6	3.3	21.5

Variable	June	Total	Valid
10m Temp	100%	2880	2880
2m Temp	100%	2880	2880
A1	100%	2880	2880
A1_Scaled	100%	2880	2880
Assumed Temp	100%	2880	2880
Barometric	100%	2880	2880
Config	100%	2880	2880
Daily Evap	100%	2880	2880
Daily Rain	100%	2880	2880
Delta T	100%	2880	2880
Dew Point	100%	2880	2880
Dig-In	100%	2880	2880
Dig-Latch	100%	2880	2880
ESN	100%	2880	2880
FDI	100%	2880	2880
Heat Index	100%	2880	2880
Humidity	100%	2880	2880
Mobile Signal	100%	2880	2880
Rain	100%	2880	2880
Raw Evap	100%	2880	2880
S Class	100%	2880	2880
Scalar WS	100%	2880	2880
Sigma	100%	2880	2880
Site	0.0%	2880	0
Solar Radiation	100%	2880	2880
Vector WD	100%	2880	2880
Vector WS	100%	2880	2880
Volts	100%	2880	2880
Wind Chill	100%	2880	2880
Wind Direction	100%	2880	2880
Wind Speed	100%	2880	2880
WS Avg	100%	2880	2880
WS Gust	100%	2880	2880