
Manning Colliery Monthly Website Report – August 2023

Site:	Manning Colliery
Department:	Technical Services
Report Title:	Monthly Environmental Report – August 2023
Report Date:	14 September 2023
Distribution:	Delta Coal website

Monthly Website Report

Mannering Colliery Monthly Environmental Report – August 2023

Table of Contents

Summary	3
Introduction	3
Scope	4
Definitions	4
References	4
Monitoring Results	5
Water – Quality	5
Water – Volume.....	7
Water – Groundwater Discharge.....	8
Air Quality – Depositional Dust	8
Air Quality – PM ₁₀	9
Air Quality – PM _{2.5}	11
Weather Data	12

Monthly Website Report

Manning Colliery Monthly Environmental Report – August 2023

Summary

Environmental monitoring results are presented in this report for monitoring undertaken during the period of August 2023.

Introduction

Great Southern Energy Pty Ltd (trading as Delta Coal) operates Manning Colliery, an underground coal mine at the southern end of Lake Macquarie.

Manning Colliery operates under the following regulatory instruments:

- Section 66(6) of the *Protection of the Environment Operations Act 1997*, to make monitoring data related to an Environment Protection Licence (EPL) publicly available;
- Condition 10 & 13, Schedule 5, of Project Approval 06_0311 (as modified) to provide details of monitoring results and environmental performance;
- An Environment Protection Licence (EPL 191) issued under the *Protection of the Environment Operations Act 1997*; and
- A Water Access Licence (WAL40461), Aquifer (Sydney Basin – North Coast Groundwater Source) for 450-unit shares (megalitres).

Details of the Manning Colliery EPL 191 are provided below.

Manning Colliery Information	
Premises name	Manning Colliery
Address	Ruttleys Road, Doyalson, NSW, 2262
Licensee	Great Southern Energy Pty Ltd
EPL #	191
EPL location	EPL 0191 - 14 April 2021

The overall purpose of this monthly report is to keep stakeholders informed of the environmental monitoring results at Manning Colliery and maintain a transparent and accountable reporting system.

Monthly Website Report

Manning Colliery Monthly Environmental Report – August 2023

Scope

This report presents the results from the various environmental monitoring programs undertaken for Manning Colliery. Results are presented monthly with annual data, averages and trends in data also shown where relevant.

Where applicable, the results of the monitoring programs are compared with the relevant criteria (from the EPL or Project Approval) to assess compliance.

Monitoring results presented include:

- Water – quality;
- Water – volume;
- Air Quality – Depositional Dust
- Air Quality – PM₁₀
- Air Quality – PM_{2.5}; and
- Meteorological data.

Definitions

g/m²/month – grams per square metre per month;

kL – kilolitre;

ML – megalitre;

mg/L – milligrams per litre;

TSS – total suspended solids;

µg/L – micrograms per litre; and

µS/cm – microSiemens per centimetre.

References

Project Approval MP06_0311 (as modified)

Environment Protection Licence 191 (Licence version date: 14 April 2021)

ALS - Dust Deposition Report **August 2023**

ALS – MC Water Analysis Reports **August 2023**

Monthly Website Report

Mannering Colliery Monthly Environmental Report – August 2023

Monitoring Results

Water – Quality

Weekly water quality results for discharge point LDP001 are presented below.

August 2023				
EPL	191			
Licensee	Great Southern Energy Pty Ltd			
Premises	Mannering Colliery			
Location	LDP001 (EPA ID # 1)			
Sample Frequency	Weekly			
pH limit	6.5 - 8.5			
TSS limit (mg/L)	50			
Oil and grease limit (mg/L)	10			
Water Quality Results				
Date	pH	TSS (mg/L)	Oil and grease (mg/L)	Electrical Conductivity (µS/cm)
04/08/2023	8.11	9	<5	17800
10/08/2023	8.13	8	<5	13900
16/08/2023	7.87	8	<5	27800
22/08/2023	7.78	7	<5	28900
Average	7.97	8	<5	22100

There were no exceedances of water quality criteria in August 2023 at Mannering Colliery.

Monthly water quality results, primarily metals and metalloids, at LDP001 are presented below for the period.

Monthly Website Report

Mannering Colliery Monthly Environmental Report – August 2023

Sub-Matrix: WATER (Matrix: WATER)		Sample ID		LDP001
		Sampling date / time		22-Aug-2023 10:50
Compound	CAS Number	LOR	Unit	ES2328364-001
				Result
ED040F: Dissolved Major Anions				
Sulfur as S	63705-05-5	1	mg/L	160
Silicon as SiO ₂	14464-46-1	0.1	mg/L	15.2
ED093T: Total Major Cations				
Calcium	7440-70-2	1	mg/L	372
Magnesium	7439-95-4	1	mg/L	311
Potassium	7440-09-7	1	mg/L	41
EG020F: Dissolved Metals by ICP-MS				
Aluminium	7429-90-5	10	µg/L	<100
Arsenic	7440-38-2	1	µg/L	<10
Beryllium	7440-41-7	1	µg/L	<10
Cadmium	7440-43-9	0.1	µg/L	<1.0
Chromium	7440-47-3	1	µg/L	<10
Cobalt	7440-48-4	1	µg/L	<10
Copper	7440-50-8	1	µg/L	<10
Lead	7439-92-1	1	µg/L	<10
Manganese	7439-96-5	1	µg/L	48
Molybdenum	7439-98-7	1	µg/L	13
Nickel	7440-02-0	1	µg/L	<10
Selenium	7782-49-2	10	µg/L	<100
Silver	7440-22-4	1	µg/L	<10
Vanadium	7440-62-2	10	µg/L	<100
Zinc	7440-66-6	5	µg/L	<50
EG020T: Total Metals by ICP-MS				
Aluminium	7429-90-5	10	µg/L	<10
Antimony	7440-36-0	1	µg/L	<1
Arsenic	7440-38-2	1	µg/L	<1
Beryllium	7440-41-7	1	µg/L	<1
Barium	7440-39-3	1	µg/L	214
Cadmium	7440-43-9	0.1	µg/L	<0.1
Chromium	7440-47-3	1	µg/L	<1
Cobalt	7440-48-4	1	µg/L	<1
Copper	7440-50-8	1	µg/L	<1
Lead	7439-92-1	1	µg/L	<1
Lithium	7439-93-2	1	µg/L	628
EG020T: Total Metals by ICP-MS - Continued				
Molybdenum	7439-98-7	1	µg/L	9
Nickel	7440-02-0	1	µg/L	3
Selenium	7782-49-2	10	µg/L	<10
Silver	7440-22-4	1	µg/L	<1
Tin	7440-31-5	1	µg/L	<1
Titanium	7440-32-6	10	µg/L	<10
Vanadium	7440-62-2	10	µg/L	<10
Zinc	7440-66-6	5	µg/L	8
Boron	7440-42-8	50	µg/L	360
Iron	7439-89-6	50	µg/L	<50
EG035F: Dissolved Mercury by FIMS				
Mercury	7439-97-6	0.1	µg/L	<0.1
EG035T: Total Recoverable Mercury by FIMS				
Mercury	7439-97-6	0.1	µg/L	<0.1
EK055G: Ammonia as N by Discrete Analyser				
Ammonia as N	7664-41-7	0.01	mg/L	0.94
EK067G: Total Phosphorus as P by Discrete Analyser				
Total Phosphorus as P	----	0.01	mg/L	0.02

Monthly Website Report

Mannering Colliery Monthly Environmental Report – August 2023

Water – Volume

Monthly water volumes discharged via MC's LDP1 during August 2023 at Mannering Colliery are summarised below.

EPL	191
Licensee	Great Southern Energy Pty Ltd
Premises	Mannering Colliery
Date Sampled	Daily
Date Reported	Refer report date
Discharge volume limit	4000 kilolitres per day
Sampling Point	LDP001 (EPA ID # 1)

Date (24 hour period)	LDP 1 Volume (kL/day)	Rainfall (mm)
01/08/2023	1166.72	0.2
02/08/2023	703.79	0.6
03/08/2023	682.7	0
04/08/2023	820.14	0.2
05/08/2023	1191.87	0.2
06/08/2023	1141.54	19
07/08/2023	776.42	0.2
08/08/2023	1058.02	0
09/08/2023	1161.87	0.2
10/08/2023	994.78	0
11/08/2023	1202.09	0
12/08/2023	869.24	0.2
13/08/2023	873.89	3.6
14/08/2023	1232.73	14.2
15/08/2023	1364.47	0.6
16/08/2023	1258.34	0.2
17/08/2023	851.86	1.4
18/08/2023	782	6
19/08/2023	1272.75	0
20/08/2023	1228.75	0
21/08/2023	1217.82	0
22/08/2023	1203.66	2.4
23/08/2023	1237.43	1.2
24/08/2023	1220.77	0
25/08/2023	1021.31	0
26/08/2023	1196.93	0.2
27/08/2023	952.32	0
28/08/2023	12.31	0.2
29/08/2023	0	0
30/08/2023	364.05	6.8
31/08/2023	659.82	0.2

Average	958.72 kL/day	1.86 mm/day
Maximum	1364.47 kL/day	19 mm/day

There were no exceedances of volumetric discharge limits at LDP1 in August 2023.

Monthly Website Report

Manning Colliery Monthly Environmental Report – August 2023

Water – Groundwater Discharge

Groundwater discharged from underground workings to the MCs surface retention Dams has been detailed below. Manning Colliery operates Water Access License 40461 permitting the extraction of 450 megalitres per financial year and reports annual use to the Water NSW, Water Accounting System (iWAS).

MC Groundwater Pumped to Surface Totals FY2022-2023		
Date (month)	GW Discharge (ML/Month)	GW Discharge (Cumulative ML YTD)
July 2023	23	23
August 2023	30	53
September 2023		
October 2023		
November 2023		
December 2023		
January 2024		
February 2024		
March 2024		
April 2024		
May 2024		
June 2024		

Air Quality – Depositional Dust


Monthly depositional dust results are shown below.

August 2023		
EPL	191	
Limits	Max. total deposited dust level	4g/m ² /month
	Max. increase in deposited dust level	2g/m ² /month
Sampling Date	06/07/2023 – 04/07/2023	
EPA ID no.	Site	Insoluble Matter (g/m2/month)
3	DG1	0.3
4	DG2	0.4
5	DG3	0.4
6	DG4	0.4
7	DG5	0.3
Notes:	Sampling locations provided in Delta Coal Air Quality and Greenhouse Gas Management Plan available on the Delta Coal website.	

Monthly Website Report


Mannering Colliery Monthly Environmental Report – August 2023

A 12-month rolling average of depositional dust concentrations has been presented below. Mannering Colliery's dust gauges are located around the perimeter of the Mannering Colliery site boundary.



Air Quality – PM₁₀

The 24hr PM₁₀ average from Delta Coal's Tapered Element Oscillating Microbalance (TEOM), located at the Mannering Park Sewage Treatment Plant, is presented below for the previous 12 months.



Monthly Website Report

Mannering Colliery Monthly Environmental Report – August 2023

Annual 24hr PM₁₀ average maximum criteria for August 2023 was below the annual average maximum criteria limit. A summary of data availability for Delta Coal's TEOM is presented below for the reporting period. Delta Coals TEOM had a data availability of **90.3%** for the month of August 2023.


Variable	August	Total	Valid
A/C Temp	100%	8928	8928
A1	100%	8928	8928
A1_Scaled	100%	8928	8928
Bypass Flow	100%	8928	8928
Cap Temp	100%	8928	8928
Case Temp	100%	8928	8928
Config	100%	8928	8928
Dew Point	100%	8928	8928
Dig-In	100%	8928	8928
Dig-Latch	100%	8928	8928
ESN	100%	8928	8928
Filter Freq	100%	8928	8928
Filter Load	100%	8928	8928
Humidity	100%	8928	8928
MC	100%	8928	8928
MC 12Hr	100%	8928	8928
MC 1Hr	100%	8928	8928
MC 24Hr	100%	8928	8928
MC 30min	100%	8928	8928
MC 8Hr	100%	8928	8928
MC Total	100%	8928	8928
Mobile Signal	100%	8928	8928
Noise	100%	8928	8928
PM10 Flow	100%	8928	8928
Pressure	100%	8928	8928
Site	0.0%	8928	0
Temperature	100%	8928	8928
Tube Temp	100%	8928	8928
Vac Pressure	100%	8928	8928
Volts	100%	8928	8928

Monthly Website Report

Mannering Colliery Monthly Environmental Report – August 2023

Air Quality – PM2.5

Delta Coal utilises PM_{2.5} data obtained from Delta Electricity owned and operated beta attenuation monitor (BAM). The PM_{2.5} monitor is located on Tingley Road, Wyee.



There were no exceedances of the PM_{2.5} daily average limit in July 2023. The 12-month rolling average PM_{2.5} value on 31 July 2023 was 5.54 $\mu\text{g}/\text{m}^3$. PM_{2.5} data availability in July 2023 was 98.70%. The 2023 year to date PM_{2.5} data availability is 97%.

It is noted that due to the external validation of PM_{2.5} results, there is a one-month delay in publishing PM_{2.5} results, however, real-time alarms remain active to ensure mitigation responses to elevated results can be applied when necessary.

Monthly Website Report

Mannering Colliery Monthly Environmental Report – August 2023

Weather Data

A summary of weather data recorded by a meteorological monitoring station at the adjacent Mannering Colliery is presented below for the year to date. (EPA ID no. 26).

Monthly Weather Data 2023			
Licensee	Great Southern Energy Pty Ltd		
Location	Mannering Colliery Meteorological station		
Date published	Refer report date		
Date sampled	Daily		
Date obtained	14 August 2023		
Month	Total Rainfall/Month (mm)	Min Temp	Max Temp
Jan-23	112	14.4	31.7
Feb-23	91	12.6	33.2
Mar-23	116	9.4	38.7
Apr-23	96	6.8	26.7
May-23	59.2	2.8	23.9
Jun-23	8.4	1.6	24.7
July-23	40.2	1.9	25.4
Aug -23	57.8	4.2	27.1

Variable	August	Total	Valid
Baro (Corrected)	100%	2976	2976
10m Temp	100%	2976	2976
2m Temp	100%	2976	2976
A1	100%	2976	2976
A1_Scaled	100%	2976	2976
Assumed Temp	100%	2976	2976
Barometric	100%	2976	2976
Config	100%	2976	2976
Daily Evap	100%	2976	2976
Daily Rain	100%	2976	2976
Delta T	100%	2976	2976
Dew Point	100%	2976	2976
Dig-In	100%	2976	2976
Dig-Latch	100%	2976	2976
ESN	100%	2976	2976
FDI	100%	2976	2976
Heat Index	100%	2976	2976
Humidity	100%	2976	2976
Mobile Signal	100%	2976	2976
Rain	100%	2976	2976
Raw Evap	100%	2976	2976
S Class	100%	2976	2976
Scalar WS	100%	2976	2976
Sigma	100%	2976	2976
Site	0.0%	2976	0
Solar Radiation	100%	2976	2976
Vector WD	100%	2976	2976
Vector WS	100%	2976	2976
Volts	100%	2976	2976
Wind Chill	100%	2976	2976
Wind Direction	100%	2976	2976
Wind Speed	100%	2976	2976
WS Avg	100%	2976	2976
WS Gust	100%	2976	2976