

LDO GROUP Report



SITE:	Mannering Colliery
Department:	HSEC
REPORT TITLE:	Monthly Environmental Report – August 2015
Prepared by:	Wade Covey
Report Date:	08 / 9 / 2015
Distribution:	Mannering Colliery Website

TABLE OF CONTENTS

Summary	3
Introduction	3
Scope.....	4
Definitions	4
References	4
Monitoring Results	5
Water – Quality	5
Weekly Water Quality Results	5
Monthly Water Quality Results	6
Water – Volume	7
Air Quality	8
Monthly depositional dust results	8
Rolling annual average depositional dust results	8
Operational Noise	9
Weather	9

Summary

Monitoring was undertaken in August 2015 with all results **in compliance** with required limits.

Introduction

LakeCoal Pty Ltd (LakeCoal) operates the Mannering Colliery, an underground coal mine at the southern end of Lake Macquarie.

This monthly report is to satisfy the requirements of;

- section 66(6) of the Protection of the Environment Operations Act, 1997, to make monitoring data related to an Environment Protection Licence publically available and
- condition 7 & 10, schedule 5, of Development Approval 06_0311 (as modified) to provide details of monitoring results and environmental performance.

This report provides environmental monitoring data from Mannering Colliery for the period 1 August 2015 to 31 August 2015.

Environmental monitoring data is collected as required under Environment Protection Licence 191 (EPL 191).

Details of the Mannering Colliery and EPL 191 are provided below.

Mannering Colliery Information	
Premises name	Mannering Colliery
Address	Rutleys Road, Doyalson, NSW, 2262
Licensee	LakeCoal Pty Ltd
EPL #	191
EPL location	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50781&SYSUID=1&LICID=191

The overall purpose of this report is to keep stakeholders informed of the environmental monitoring results at Mannering Colliery and maintain a transparent and accountable reporting system.

Scope

This report presents the results from the various environmental monitoring undertaken for Mannering Colliery.

Results are presented for each specific month and annual data, averages and trends in data are shown to where relevant.

Where applicable, the results of the monitoring programs are compared with the relevant criteria (from the EPL or Project Approval) to determine compliance.

Monitoring results presented include;

- Water – quality;
- Water – volume;
- Air quality;
- Operational noise; and
- Weather data

Definitions

°C – degrees celsius

dB – decibels

dB(A) – noise level measurement units are decibels (dB). The A-weighting scale is used to approximate human perception of noise

g/m²/month – grams per square metre per month

kL – kilolitres

L_{Aeq} – the average A-weighted noise energy (in dB) for a measurement period

mg/L – Milligrams per litre

mm – millimetre

µS/cm – microsiemens per centimetre

References

Project Approval 06_0311 (as modified)

Environment Protection Licence 191 (Licence version date: 13 May 2015)

Steel River Testing - Dust Deposition Report – August 2015

ALS Environmental - Monthly Water Monitoring Results - August 2015

Title: Monthly Environmental Report

Monitoring Results

Water – Quality

Weekly Water Quality Results

Aug-15			
EPL	191		
Licensee	LakeCoal Pty Ltd		
Premises	Mannering Colliery		
Period	01-Aug-15	to	31-Aug-15
Location	LDP001 (EPA ID # 1)		
Date sampled	Weekly		
Date reported	Refer report date		
Monitoring requirement	Weekly		
pH limit	6.5 - 8.5		
TSS limit (mg/L)	50		
Oil and grease limit (mg/L)	10		
Exceedance (Yes/No)	No		
Weekly Water Quality Results			
Date	pH	TSS (mg/L)	Oil and grease (mg/L)
06/08/2015	7.8	1	<5
12/08/2015	7.9	<1	<5
20/08/2015	7.7	2	<5
27/08/2015	7.8	1	<5
Notes:			
Monitoring undertaken weekly in accordance with EPL 191 requirements			

Title: Monthly Environmental Report

Monthly Water Quality Results

August 2015			
EPL	191		
Licensee	LakeCoal Pty Ltd		
Premises	Mannering Colliery		
Date Sampled	12-Aug-15		
Date Obtained	19-Aug-15		
Date Reported	Refer report date		
Sampling Point	1		

Parameter	Units	Limit	Result
Aluminium (Dissolved)	µg/L		<100
Aluminium (Total)	µg/L		<100
Antimony	µg/L		<10
Arsenic (Dissolved)	µg/L		<10
Arsenic (Total)	µg/L		<10
Barium	µg/L		244
Beryllium (Dissolved)	µg/L		<10
Beryllium (Total)	µg/L		<10
Boron	µg/L		<500
Cadmium (Dissolved)	µg/L		<1
Cadmium (Total)	µg/L		<1
Calcium	mg/L		218
Chromium (Dissolved)	µg/L		<10
Chromium (Total)	µg/L		<10
Cobalt (Dissolved)	µg/L		<10
Cobalt (Total)	µg/L		<10
Conductivity	µs/cm		26700
Copper (Dissolved)	µg/L		<10
Copper (Total)	µg/L		<10
Iron	µg/L		<500
Lead (Total)	µg/L		<10
Lead (dissolved)	µg/L		<10
Lithium	µg/L		761
Magnesium	mg/L		282
Manganese (dissolved)	µg/L		38
Mercury (Total)	µg/L		<0.1
Mercury (dissolved)	µg/L		<0.1
Molybdenum (Dissolved)	µg/L		11
Molybdenum (Total)	µg/L		12
Nickel (Dissolved)	µg/L		<10
Nickel (Total)	µg/L		<10
Nitrogen (Ammonia)	mg/L		0.98
Phosphorous (Total)	mg/L		<0.02
Potassium	mg/L		39
Selenium (Dissolved)	µg/L		<100
Selenium (Total)	µg/L		<100
Silica	mg/L		11.9
Silver (Total)	µg/L		<10
Silver (dissolved)	µg/L		<10
Sulfur	mg/L		145
Tin (Total)	µg/L		<10
Titanium (Total)	µg/L		<100
Vanadium (Dissolved)	µg/L		<100
Vanadium (Total)	µg/L		<100
Zinc (Dissolved)	µg/L		<50
Zinc (Total)	µg/L		<50

Title: Monthly Environmental Report

Water – Volume

August 2015		
EPL	191	
Licensee	LakeCoal Pty Ltd	
Premises	Mannering Colliery	
Date Sampled	Daily	
Date Reported	Refer report date	
Discharge volume limit	4000 kilolitres per day	
Sampling Point	LDP001 (EPA ID # 1)	
Date (24 hour period)	Unit	Volume
01/08/2015	kL	0
02/08/2015	kL	0
03/08/2015	kL	0
04/08/2015	kL	0
05/08/2015	kL	1180
06/08/2015	kL	2112
07/08/2015	kL	633
08/08/2015	kL	0
09/08/2015	kL	0
10/08/2015	kL	1208
11/08/2015	kL	2145
12/08/2015	kL	2073
13/08/2015	kL	1290
14/08/2015	kL	749
15/08/2015	kL	0
16/08/2015	kL	0
17/08/2015	kL	0
18/08/2015	kL	1225
19/08/2015	kL	2143
20/08/2015	kL	2117
21/08/2015	kL	1116
22/08/2015	kL	0
23/08/2015	kL	0
24/08/2015	kL	0
25/08/2015	kL	1254
26/08/2015	kL	2145
27/08/2015	kL	2104
28/08/2015	kL	904
29/08/2015	kL	0
30/08/2015	kL	0
31/08/2015	kL	1260


Title: Monthly Environmental Report

Air Quality

Monthly depositional dust results

Monthly Depositional Dust Data			
August 2015			
EPL	191		
Licensee	LakeCoal Pty Ltd		
Premises	Manning Colliery		
Date Sampled	17-Jul-15	to	14-Aug-15
Date Obtained	21-Aug-15		
Date Reported	Refer report date		
Sampling Point	As per site below		
Site	Insoluble Matter (g/m ² /month)		
DG1 (EPA ID # 3)	0.1		
DG2 (EPA ID # 4)	0.1		
DG3 (EPA ID # 5)	0.2		
DG4 (EPA ID # 6)	0.2		
DG5 (EPA ID # 7)	0.2		
Notes:			
- For site locations refer to Air Quality Management Plan			

Rolling annual average depositional dust results



Operational Noise

Q3 Noise monitoring results not received during the month. Will be reported in October monitoring report.

Weather

A summary of weather data recorded by an on-site meteorological monitoring station at the Colliery is presented below for the year to date.

Monthly Weather Data			
Aug-15			
EPL	191		
Licensee	LakeCoal Pty Ltd		
Premises	Manning Colliery		
Location	W1 (on-site weather station)		
Date published	Refer report date		
Date sampled:	Daily		
Date obtained:	08/09/2015		
Month	Total Rainfall / Month (mm)	Minimum Temperature (°C)	Maximum Temperature (°C)
Jan-15	235.4	13	35
Feb-15	54.2	16	33
Mar-15	122.4	11	35
Apr-15	422.2	12	27
May-15	138.4	8	26
Jun-15	90	6	23
Jul-15	20	3	20
Aug-15	32.6	3	27

